

DirecOverlay

From the Stone Age, over three million years ago and through the millennia, stone has evolved as the most commonly used construction material in the world. CarpenterStone, the next evolution in material sciences, marks the coming of the New Age of Stone.

CarpenterStone offers a full spectrum of cementitious composites for the 21st Century.

Each of the products provides strength / weight ratios never before achieved while also providing high tensile and flexural strengths.

These range from our lightweight composite which weighs 65% less than concrete and can be tooled and installed by a CARPENTER...to materials that are as dense and strong as STONE.

It was worth the three-million-year wait.



Stamped Overlay

Does the entrance to your condo or apartment complex look like this?



In two days, it could look very different.



- Pour CarpenterStone's breakthrough topping directly over the old concrete or ASPHALT driveway.
- No removal necessary.
- Color and stamp with designs to create a wide range of styles.





Dress Up... your entranceway, your sidewalks, your balcony, your steps... your image, your capital investment



Fast and easy to install.

No heavy equipment.

Small crews ensure fast installation with minimal interference.



Stamped Overlay...Stronger, Faster to Install

Another of the new cementitious composites for the 21st Century. The CarpenterStone stamped overlay mix

- Has twice the compressive strength of standard concrete.
- Has higher tensile and flexural strength than standard concrete.
- Can be installed over concrete or **asphalt**.
- Can be installed in thickness of ¼ - 3/8" over concrete and ½" over asphalt.
- Can be stamped within 45 minutes to 1 ½ hours depending upon thickness, temperature, etc.
- Requires no special tools (only regular stamped overlay rakes, trowels, stamps, etc.)
- Can be stained and sealed in the same day.
- Can be walked on in hours
- Can be driven and parked on in only three days.
- Passes standard freeze / thaw tests.
- Uses standard stains and sealers.
- Contains no co-polymers or epoxy.

DirecOverlay

Stamped Overlay...Stronger, Faster to Install

Another of the new cementitious composites for the 21st Century. The CarpenterStone stamped overlay mix

- Has twice the compressive strength of standard concrete.
- Has higher tensile and flexural strength than standard concrete.
- Can be installed over concrete or **asphalt**.
- Can be installed in thickness of ¼ - 3/8" over concrete and ½" over asphalt.
- Can be stamped within 45 minutes to 1 ½ hours depending upon thickness, temperature, etc.
- Requires no special tools (only regular stamped overlay rakes, trowels, stamps, etc.)
- Can be stained and sealed in the same day.
- Can be driven and parked on in only three days.
- Passes standard freeze / thaw tests.
- Uses standard stains and sealers.
- Contains no co-polymers.



A New Age Solution for an Age Old Problem

- Pour the new topping directly over the old asphalt driveway.
- No removal necessary.
- Color and stamp with designs to create a wide range of styles.

